VOLUME 18

AUTHOR INDEX

Abul-Hajj, Y. J., 281
Acevedo, H. F., 203
Adhikary, P. M., 753
Aringer, L., 381
Arnold, M. L. 787
Assenmacher, I., 325

Bajpayee, P., 491
Bator, A., 359
Bartke, A., 303
Baulieu, E-E., 767
Beale, R. N., 621, 641
Bennett, R., 555
Berger, G. M., 473
Berlin, K. D., 577
Bo, W. J., 389
Boris, A., 399
Brown, K. I., 491

Callantine, M. R., 441
Campbell, E. A., 203
Cardinali, D. P., 25
Chase, H. S., Jr., 59
Chattopadhyay, S., 411
Chen, C., 565
Chesnut, R. W., 577
Clarris, B., 77
Collins, D. C., 341
Crawshaw, K., 77
Croft, D., 621, 641

Daniel, J-Y., 325
Dean, P. D. G., 593, 605
De La Pena, A., 195
De Martino, L., 399
De Moor, P., 709
Doe, R. P., 421
Douglas, M., 77
Duax, W. L., 525
Durham, N. N., 577

Eger, C., 525
Eger, C. H., 231
Elce, J. S., 583
Elliott, W. H., 261
Eneroth, P., 381
Eng, S., 251
Exley, D., 593, 605

Fazekas, A. G., 367
Frick, J., 359

Gabrilove, J. L., 113
Galletti, F., 39
Gardi, R., 39
Gardner, J. O., 251
Garmendia, F., 113
Givner, M. L., 1
Glitzer, M. S., 129
Goldzieher, J. W., 195
Goodrich, J. E., 147
Grant, J. D., 555
Grauer, R. C., 203
Greiner, M. J., 231
Gross, S. J., 555
Gustafsson, J-A., 51, 175

Hagen, A. A., 289
Hähnel, R., 653, 681
Harkness, R. A., 753
Harris, J., 583
Heyns, W., 709
Hodgins, M. B., 11
Holmdahl, T. H., 69

Idler, D. R., 545

Jaffe, R. B., 1
James, V. H. T., 789
Jaques, L. B., 411
Johnson, D. D., 411
Johnson, M. W., 593, 605
Jones, J. D., 473

Kapoor, J. N., 251
Kelsey, M. I., 261
Keeler, R. F., 739
Kharma, K. M., 161
Krueger, W. A., 389

Lai, B., 313
Lanthier, A., 367, 433
Layne, D. S., 477
Lee, S-G., 565
Lipsett, M. B., 463
Lomax, P., 555

Loriaux, D. L., 463
Lundy, L. E., 91
Luttge, W. G., 141

MacDonald, B. S., 753
MacDonald, E. F., 545
Manson, M. E., 51
Mattox, V. R., 147
McAlister, F., 389
Mercier-Bodard, C., 767
Mishell, D. R., 161
Mitchell, F. L., 51
Monder, C., 187
Morgan, E. R., 129
Morgan, J. G., 577
Mui, M. M., 261

Nakamura, R. M., 161
Naqvi, R. H., 729
Nicolis, G. L., 113
Norton, D. A., 231, 525

Patwardhan, V. V., 433
Petty, J. M., 203
Pokrywiecki, S., 525
Polakova-Paquet, A., 477
Poteat, W. L., 389
Prasad, M. R. N., 511

Rao, P. N., 219
Raynaud, J-P., 767
Reel, J. R., 441
Rosner, J. M., 25
Rubin, B. L., 59
Ruder, H. J., 463

Safe, L. M., 545
Saier, E. L., 203
Sankaran, M. S., 511
Sarfaty, G., 77
Schröcksnadel, H., 359
Seal, U. S., 421
Shackleton, C. H. L., 51, 175
Shih, Y., 441
Sjövall, J., 51, 69
Solo, A. J., 251
Sowell, J. G., 289
Steele, R. E., 303
Steelman, S. L., 359
Stone, S., 161
Strickler, H. S., 203
Sykes, P. J., 753

Taylor, R. F., 621, 641
Thorneycroft, I. H., 161
Trapp, G. A., 421
Trmal, T., 399
Troop, R. C., 289
Trout, E. C., Jr., 505
Twaddle, E., 653, 681

Van Dewark, S. V., 441
Vivian, A. B., 681
Vrieze, W. D., 147

Warren, J. C., 729
Weinstein, R. L., 313
Whalen, R. E., 141
Williams, J. G., 303
Williams, K. I. H., 303
Wilson, D., 77
Wong, S-L. R., 555
Wu, C-H., 91

Xenakis, T., 313

VOLUME 18

SUBJECT INDEX

3β-Acetoxy-14α, 17α-etheno-16α-carbomethoxy-5-pregnen-20-one, 252
N-Acetylscrotonin, in duck testicles, 25
Adrenal desmolase, 505
Adrenocorticosteroids, perchloric acid extraction of, 473
Allomuricholic acids, 261
Androgens, metabolism of, 367
Androsta-1,4-dien-6β-17β-diol-3-one, identification of, 44
Androsta-1,4-dien-3,17-dione, 39
Androsta-1,4-diene-6β-ol-3,17-dione, identification of, 44
Androsta-1,4-dien-17β-ol-3-one, metabolism of, 39
Androsta-1,4-dien-17β-ol-3-one:ρ-bromophenol (1:1),
hydrogenation of, 525
5β-Androstan-3α,11β-diol-17-one, 621, 641
5α-Androstan-3,17,dione, 367
5α-Androstan-3,17-dione, 25
5α-Androstan-3α-ol-17-one, 367
5α-Androstan-3α-ol-17-one, 113
5α-Androstan-3β-ol-17-one, in human breasts, 11
5α-Androstan-17β-ol-3-one, 367
5α-Androstan-17β-ol-3-one, binding of, 709
5α-Androstan-17β-ol-3-one, in human breasts, 11
5β-Androstan-3α-ol-17-one, 113
5β-Androstan-3α-ol-17-one, in human breasts, 11
5β-Androst-1-ene-3α,17β-diol, identification of, 43
Androst-5-en-3β,17α-diol, 175
Androst-5-en-3β,16-diol-17-one, 175
Androst-4-en-3,17-dione, 367
Androst-4-en-3,17-dione, 25
5β-Androst-1-en-3,17-dione, identification of, 43
Androst-5-en-3β-ol-17-one, 505
Androst-5-en-3β-ol-17-one, 113
Androst-4-en-17β-ol-3-one, assay of, 195
5β-Androst-1-en-3α-ol-17-one, identification of, 43
Androst-1-en-17β-ol-3-one, identification of, 43
Androst-4-en-17β-ol-3-one, interaction with plasma protein, 767
Androst-4-en-17β-ol-3-one, level in cock and hen plasma, 359
Androst-5-en-3β-ol-17-one, metabolism in breasts, 11
Androst-4-en-17β-3-one, 25
Androst-5-en-3β,16α,17β-triol, 175
Androst-5-en-3β,16α,17β-triol, excretion by primates, 51
Androst-4-en-3,11,17-trione, 621, 641
4-Androstene-3,17-dione, in human breasts, 11
Antibody, specific steroid, 555

Bile acids, synthesis of allomuricholic acids, 261
Bovine adrenals, 433

Bovine serum conjugate, 593

Cancer, estrogen receptors in, 651, 681
Chicken, plasma testosterone level in, 359
Chimpanzee, steroid excretions of, 175
6-Chloro-4,6-pregnadien-17-ol-3,20-dione 17-acetate, 399
Cholest-5-en-3β-ol, in human adrenal, 1
Cholest-5-en-3β-ol, in human fetal liver, 1
Cholesterogenesis, 4
Chromatographic mobility, of corticosteroid glucosiduronates, 147
Chromatography, column
    of estrogen glucosiduronates, 349
    of 17-hydroxyprogesterone, 161
    of rat liver extracts, 588
    of rat serum extracts, 268
    of turkey plasma extracts, 492
    total estrogen assay using, 203
Chromatography, gas-liquid
    of human peripheral plasma, 789
    of steroid metabolites, 624, 641, 759
    of urinary ketosteroids, 113
Chromatography, ligand column, 421
Chromatography, liquid-gel, of pregn-4-en-17α-ol-3,20-dione, 69
Chromatography, paper
    of corticosteroids, 148
    of hair follicle extracts, 369
    of plasma extracts, 327
    of rat uterus extracts, 445
    of steroids from duck testicles, 27
    of steroids from human breasts, 13
    of urine extracts, 314
Chromatography, thin layer
    of bovine adrenal extracts, 435
    of dog plasma extracts, 343
    of plasma extracts, 463
    of sea scallop, 545
    of steroids from duck testicles, 27
    of urinary metabolites, 41
Clauberg-McPhail assay, 399
Clomiphene citrate, 511
Corticosteroid glucosiduronates, 147
Corticosteroids, heterocyclic derivatives of, 129
17β-Cyclopent-1'-enyloxyandrosta-1,4-dien-3-one, 39

7-Dehydrocholesterol Δ^7-reductase, 1
4,6-Dichloro-16-methylene-17-hydroxy-4,6-pregnadien-3,20-dione 17-acetate, 399
3,20-Diketo-4-pregnen-21-oic-acid, 193
6,16α-Dimethyl-4,6-pregnadiene-11β,17,21,-triol-20-one [3,2c]-2'-phenylpyrazole-21-acetate, 129
Double isotope assay, of deoxycorticosterone, 288

Durabolin, 731

Estra-1,3,5(10)-trien-3,17β-diol
assay of, 77
biliary metabolites of, 303
interaction with plasma protein, 767
in rat uterus, 511
in turkeys, 491
specific antisera for, 605
17-β-D-glucopyranoside, 477
6-(O-carboxymethyl)oxime, 593
-6-one, 597
Estra-1,3,5(10)-trien-3,17β-glucosiduronate, 346
Estra-1,3,5(10)-trien-3-ol-17-one
biliary metabolites of, 303
in turkeys, 491
sulfate, in plasma, 463
Estra-1,3,5(10)-trien-2,3,17β-triol, 583
Estra-1,3,5(10)-trien-3,16α,17β-triol
antibody for, 555
in turkeys, 491
Estra-1,3,5(10)-trien-3,17β-yl dipropionate, 389
Estrogen, total assay of, 204
Estrone-D-hexopyranosides, 477
14α,17α-Ethano-16α-carbomethoxy-6β,19-oxido-4-pregnene-3,20-dione, 257
17α-Ethynyl-estra-1,3,5(10)-trien-3,17β-diol-9α,11ξ-[^{3}H],224
17α-Ethynyl-3-methoxyestra-1,3,5(10)-trien-17β-ol-9α,11ξ-^{3}H, 223

Gas chromatography - mass spectrometry, identification of steroids, 175
β-Globulin, binding properties of, 707
Glucosiduronates, of oxosteroids, 621, 641

Hair follicles, androgen metabolism in, 367
Hormonal activity, role of 17β side chain, 251
Hydrogenation, β-side chain, 525
17α-Hydroxy-3,20-diketo-4-pregnene-21-oic acid, 192
11β-Hydroxy-3,20-diketo-4-pregnene-21-al, 191
17β-Hydroxy-estra-4-en-3-one,17-phenylpropionate, 729
3β-Hydroxy-14α,17α-ethano-16α-carbomethoxy-5α-bromopregnan-
6,20-dione acetate, 256
17β-Hydroxy-2-hydroxymethylene-17α-methyl-5α-androstan-3-one, 729
11β-Hydroxy-3-keto-4-androstene-17β-carboxylic acid, 191
17α-Hydroxy-3-keto-4-androstene-17β-carboxylic acid, 192
3β-Hydroxy-Δ^{5}-steroids, synthesis of, 381
17-Hydroxy-3,11,20-trioxo-4-pregnen-21-yl-β-D-glucopyranosiduronic
acid, 157

Isotopic labels, alkenes, 577
Isotopic labels
4-[^{14}C]-androst-4-en-3,17-dione, 25
1,2-[^{3}H]-androstendione, 367

4-[^{14}C]-androst-5-en-3β-ol-17-one, 25
1,2-[^{3}H]-corticosterone, 412
1,2-[^{3}H]-corticosterone, 70
[^{3}H]-corticosterone, 325
4-[^{14}C]-dehydroepiandrosterone, 367
6,7-[^{3}H]-estradiol, 92
4-[^{14}C]-estradiol, 304
6,7-[^{3}H]-estra-2,17β-diol-17β-1-S-glutathione, 583
6,7-[^{3}H]-estra-1,3,5(10)-trien-3-ol-17-one, 341
6,7-[^{3}H]-estriol, 92
6,7-[^{3}H]-estrone, 464
4-[^{14}C]-estrone, 304
6,7-[^{3}H]-estrone, 92
4-[^{14}C]-estra-1,3,5(10)-trien-2,3-diol, 583
2,4,6,7-[^{3}H]-estr-1,3,5(10)-trien-3,17β-diol, 655, 681
7α-[^{3}H]-3β-hydroxy-5-androsten-17-one, 11
17-[^{14}C]-hydroxypregnenolone, 505
1,2-[^{3}H]-20α-hydroxy-pregn-4-en-3-one, 70
1,2-[^{3}H]-17α-hydroxyprogesterone, 70
4-[^{14}C]-pregn-4-en-17α,21-diol-3,11,20-trione, 289
4-[^{14}C]-pregn-4-en-3,20-dione, 25
7α-[^{3}H]-pregnenolone, 434
7α-[^{3}H]-progesterone, 70
7α-[^{3}H]-progesterone, 441
4-[^{14}C]-progesterone, 434
4-[^{14}C]-progesterone, 70
7-[^{3}H]-testosterone, 367
1,2-[^{3}H]-testosterone, 70
4-[^{14}C]-tetrahydrodeoxycorticosterone, 313
tritiated steroids, 219

Krebs ringer bicarbonate glucose medium, 13

Liver glycogen, rat, 519
Liver microsomes, demethylation by, 565

Macaca fascicularis, urine steroid content of, 51
Mass spectrum
muldamine, 748
of oestradiol derivatives, 599
of methandrostenolone, 754
of steroid metabolite, 759
TMS-ether of androst-5-en-3β,16α,17β-triol, 53
Melatonin, in duck testicles, 25
Mesencephalic structures, 141
Metabolites
conjugated cortisol, 641
conjugated estrogen, 341
neutral steroid urine, 621, 641
of 1-dehydroandrostanes in man, 39
of progesterone in duck testicles, 29

Methandrostenolone, 17-epimer metabolite of, 753
3-Methoxyestra-1,3,5(10)-trien-17β-ol-9α,11ξ-[^{3}H],224
3-Methoxy-17-ethynyl-1,3,5(10)-estratrien-17β-ol,demethylation of, 565
21-Methoxyprign-4-en-3,20-dione, 235
Methyl-3α-acetoxy-7α-bromo-6β-hydroxy-5α-cholanate, 274
17-Methyl-androsta-1,4-dien-17α-ol-3-one, 753
17-Methylene-5-androsten-3-one, 756
Methyl-3α-hydroxy-6-oxo-5α-cholanate, 272
6α-Methyl-pregn-4-en-17-ol-3,20-dione 17-acetate, 433
Muldamine, structure of, 741

19-Nor-14α,17α-ethano-16α-carbomethoxy-4-pregnene-3,20-dione, 251

17,20-Oxido-21-nor-4-pregnen-3-one, 757
17-Oxoestra-1,3,5(10)-trien-3-yl-2',3',4',6'-tetra-O-acetyl-α*D*-galactopyranoside, 485
17-Oxoestra-1,3,5(10)-trien-3-yl-2',3',4',6'-tetra-O-acetyl-β*D*-glucophranoside, 484
17-Oxoestra-1,3,5(10)-trien-3-yl-2',3',4',6'-tetra-O-acetyl-α*D*-mannopyranoside, 486
3-Oxo-Δ^4-steroids, 381
Oxymetholone, 731

Partition coefficients, of corticosteroid glucosiduronates, 147
Perchloric acid, adrenocordicosteroid extraction with, 473
Pregnancy, interruption by drugs of, 731
Pregnan-3α,17,20α-triol, chromatography of, 113
5α-Pregnan-3α,17α,21-triol-11,20-dione, 621, 641
5β-Pregnan-3α,17α,21-triol-20-one, 621, 641
Pregn-5-en-3β,20α-diol, 175
Pregn-4-ene-11β,21-diol-3,20-dione, 325
Pregn-4-en-11β,21-diol-3,20-dione, 235
Pregn-4-en-17α,21-diol-3,20-dione, 235
Pregn-4-en-11β,21-diol-3,20-dione, assay in rat serum, 411
Pregn-5-en-3β,21-diol-20-one, 175
Pregn-4-ene-3,20-dione, 389
Pregn-4-en-3,20-dione, metabolism in rats, 441
Pregn-4-en-3,20-dione, ovarian secretion rate in rats, 59
Pregn-4-en-17α-ol-3,20-dione, 25
Pregn-4-en-21-ol-3,20-dione, determination in plasma, 789
Pregn-4-en-17-ol-3,20-dione, assay of, 161
Pregn-4-en-21-ol-3,20-dione, excretion rate of, 313
Pregn-4-en-17-ol-3,20-dione, 17-acetate, 433
Pregn-4-en-20α-ol-3-one, 25
Pregn-4-en-20α-ol-3-one, secretion in rats, 59
Pregn-5-en-3β,17α,20ξ,21-tetrol, 175
Pregn-5-en-3β,16α,20α,21-tetrol, 175
Pregn-5-en-3β,20α,21-triol, 175
Pregn-4-en-11β,17α,21-triol-3,20-dione, 422
Pregn-4-en-17α,20α,21-triol-3,11-dione, identification of, 293
Primates, steroids in urine, 51

Progestin, accumulation of, 141
[Z]-24-Propylidencholest-5-en-3β-ol, from *P. magellanicus*, 545

Quinbolone, metabolism of, 39

Radioimmunoassay, of plasma estrogens, 91
Rat uterus, 389
Receptors, estrogen, 651, 681

Serotonin, in duck testicles, 25
Standard curve, in assay of estradiol, 77
Steroid analogs, ring-D-bridged, 251
Steroid binding, side chain participation, 231
Steroidal 20-keto-21-oic acids, general synthesis of, 187
Sodium borohydride reduction, 381

1,10,11,11a-Tetrahydro-2-methoxy-2H-naphth [1,2-g]-indole, 577
1,10,11,11a-Tetrahydro-11a-methyl-2H-naphth [1,2-g]-indol-7-ol [C-16,17-^{14}C], 577
3α,6β,7α-Trihydroxy-5α-cholanic acid, 275
Turkey, estrogens in, 491

Uterine glycogen, rat, 516

5-Veratranine-3β,11α-diol-11-acetate, 741
Veratrum californicum, 741